

 Harvard School of Public Health/Department of Epidemiology • 677 Huntington Avenue • Boston, Massachusetts 02115 • Telephone (617) 432-2279 • Facsimile (617) 432-0335

Dear Colleague:

On behalf of our research group, I thank you for your participation in the Nurses' Health Study II. The accuracy and completeness of the information you and your fellow participants provide are truly impressive, and that information will enable the study to answer many critical questions about the health effects of lifestyle factors, diet, and oral contraceptive use. Analyses of these factors in relation to breast cancer and several other diagnoses are currently underway. We have already analyzed information on several common conditions, such as gallstones, and have included findings in the 1995 newsletter.

Research Group

Walter C. Willett, M.D. Principal Investigator

Stefanie Bechtel, B.A. Kim Boulger, B.A. Celia Byrne, Ph.D. Carlos Camargo, M.D. Trish Case, M.Sc. Lisa Chasan-Taber, M.P.H. Gary Chase, B.S. Joyce Clifford, R.N., M.S.N. Graham Colditz, M.D. Karen Corsano, M.A. Gary Curhan, M.D. Lindsay Frazier, M.D. Charles Fuchs, M.D. Marlene Goldman, Sc.D. Francine Grodstein, Sc.D. Susan Hankinson, R.N., Sc.D. Michelle Holmes, M.D. David Hunter, M.D. Maureen Ireland, B.A. Camara Jones, M.D., Ph.D. Ichiro Kawachi, M.D. Michele Lachance, B.A. Lisa Litin, R.D. JoAnn Manson, M.D. Lynn Marshall, B.S. Rachel Meyer, B.A. Karin Michels, M.S. Janet Rich-Edwards, M.P.H. Helaine Rockett, R.D., M.S. Laura Sampson, R.D., M.S. Kate Saunders, B.A. Karen Shepard, B.A. Caren Solomon, M.D. Frank Speizer, M.D. Donna Spiegelman, Sc.D. Meir Stampfer, M.D. Lisa Troy, B.A. Diana Chapman-Walsh, Ph.D. Lori Ward

The enclosed questionnaire continues our every-other-year follow-up. You will note that we ask many of the same questions about your current status that we posed earlier. We also inquire about your diet during the past year, which was last assessed in 1991. In addition, we ask about new medical diagnoses and conditions.

We hope that you give this questionnaire the same attention and care that you have given to the earlier forms. The validity of this major research undertaking depends directly on complete and accurate follow-up information for all study members. This is the largest study of women's health of its kind, and the main aim is to find ways to maintain good health and prevent serious illness in women. Your continued participation is critical whether or not you are currently employed as a nurse. As always, the information you provide is strictly confidential and will be used only for medical statistical purposes.

Many thanks for your valuable participation. We will be sending you the next edition of our Nurses' Health Study newsletter in June 1996 to update you on our progress.

Sincerely,

0000-000000

Walter Willett, M.D.


Professor of Epidemiology and Nutrition

P.S. Your updated questionnaire information is needed to maintain the validity of this study. Your reply within the next two weeks would be greatly appreciated.

HARVARD UNIVERSITY

INSTRUCTIONS

Please use an ordinary No. 2 pencil to fill in the appropriate response circles completely, or write the requested information in the boxes provided. Note that some questions ask for information since June 1993, some ask for current status, and some ask about events over longer periods. The form is designed to be read by optical-scanning equipment, so make NO STRAY MARKS and keep write-in responses within the spaces provided. If you change a response, erase the incorrect mark completely, and write any comments on a separate page.



EXAMPLE 2: Mark "Yes" circle and Year of Diagnosis circle for each illness you have had diagnosed.


13.		ince June 1993, have you had any of nese physician-diagnosed illnesses?							
	LEAVE BLANK FOR "NO". MARK HERE FOR "YES"	+	BEFORE JUNE 1 1993	JUNE 93 TO MAY 95	AFTEF JUNE 1995				
	Elevated cholesterol		0	0	0				
	Melanoma	(Y)	0	0	0				
	Basal cell skin cancer		0	•	0				

Thank you for completing the 1995 Nurses' Health Study II Questionnaire.


Please tear off the cover letter (to preserve confidentiality) and return the questionnaire in the enclosed postage paid envelope.

If you need to make changes or corrections to your name/address, please note them on the cover letter and enclose it with your completed questionnaire.

NUR	SES' I	HEAI	LTH ST	UDY II 199	95	PAGE 1			HARVAI	RD UNIVERSIT
PLEA	SE USE	PENC	IL! 2. a.		993, have you b					
	URREI				question 3	Yes				
	POUNDS		b	Are you curren		tata tanàna dia mampi	NOTOLIS	la che la la Car	and a familiar are	work promoted
		ĺ		O No C	e comes concernation of	vith part c, but do				1. 1.2.1 17
0	0	0	C		nancy <i>ending</i> ar egnancy <i>ended</i> .	ter JUNE 1, 1993	s, fill in a res	ponse bub	ble for the year	auring
0	0	0		which each pr	egnancy ended.	 Pregna 	ancies lasti oths or mor			cies lasting n 6 months
2	2	2		Calendar Ye	bar			/Triplets	Miscarriages	Induced Abortion
3	3	3		6/1/93 - 12/3	21/02	Single Birth	s iwins	Triplets	Wiscarnages	
(4)	(4)			1994	51/33	0		0	0	Ö
(5)	(5)	(5)		1995		0		5	0	Ő
6	(6)	6		1996+		Ő		ň	ŏ	ŏ
	0	0	3. D		TLV use any of t	these forms of co	ontraception	n? (Mark a	II that apply.)	
1	(8)	(8)	C) None		ontraceptive	O Condo			m/Cervical cap
0	9	9	e c) Vasectomy		/Jelly/Sponge	ORhythr		O Norplant	
		0) Tubal Ligation		terine Device	O Depo F		Other	
- SIN	ICE JU	NF 19	93 have		ontraceptives (O		O bopo i	101010	U otitoi	
-	Yes 🗪					uring the 24-mo	onth period	between	June 1993 and	June 1995?
. ÕI	101					O 10-14 O 1				
						sed longest durin				
V						ionnaire and writ				
SIN	ICE JU	NE 19	93, have v	ou tried to bec	ome pregnant f	or more than on	e vear with	out succes	s?	
				cause? OTu		Ovulatory dis		Endometric		cal mucous factors
-	No		rk all that			O Not investiga	-	Not found	OOther	
S. SIN	ICE JU	NE 19	93, have y	ou taken Clom	id (Clomiphene)	or Pergonal/Me	etrodin to in	duce ovula	ation?	
				months was Clo	· · · · · · · · · · · · · · · · · · ·	O 0 mont	-			11 O 12+ months
-	No				gonal/Metrodin u	sed: 0 mont	hs O1			11 O 12+ months
7. Hav	ve you	men	strual peri	ods ceased PEF	RMANENTLY?					
	No: Pre				►a. AGE natu	ral AGE	🕪 b. l	For what r	eason did your	r periods cease?
0	Yes: No	mens	trual perio	ds mana	periods		(🔿 Natural		
0				It now have	ceased:			Surgical		
	pe	riods i	nduced by	hormones			(Radiatio	n or chemothera	ру
	Not sur	е								
B. Hav	ve you	EVER	had surge	ery to remove y	our uterus or o	varies? (Mark all	that apply.)			
0	No surg	gery	OU	terus removed	O Both ova	ries removed	O One ov	ary remove	ed	
9. SIN	ICE JU	NE 19	93, have y	ou used female	e replacement h	ormones (other	than oral co	ntraceptiv	es)7	
0	No () Yes							000	
		P	and the second second second second	and the second se	AND WITHOUT AND ADDRESS	nem during the	24-month		and the second se	345000
			A COLUMN TO A		JNE 1993 and J				A REAL PROPERTY AND A REAL	365078
				a success of the second second		15-19 () 20-3	the second s			345608
						thin the last mo				ot currently
						have used the I				00000
			Estro		Premarin	OEstrace		Ogen		345670
						O Patch Estroge	and the second se	Other Estro		335670
						O Oral O Vag		er (specify	below)	
			Othe	r type of hormo	nes used, please	specify:				
						gen (e.g., Prema				
										1.25 mg/day (Yellov
				lore than 1.25 m		se unknown			al conjugated es	The second s
			e. If yo			erone (e.g., Prov				
			$\bigcirc <$	5 mg () 5-	-9 mg () 10	mg O Mor	re than 10 m		ose unknown	O Not used



Copyright © 1995 President and Fellows of Harvard College, All Rights Reserved Worldwide.				P	AGE 2	N29	5L			
13. Since June 1993, have you had any	Y	EAR O	F	-	$\bigcirc \bigcirc $	0	0) (123) (4)
of these physician-diagnosed	DIA	GNOS	SIS		2 2 2	2	6		567)(8)
illnesses?		June 93			(4) (4) (4)	4	Q		0000)12
LEAVE BLANK FOR "NO", MARK HERE FOR "YES"	June 1 1993	to May 95	June 1 1995		(3) (3) (3)	(3)	C		65 66)@
Myocardial infarction (heart attack)	0	0	0	1	e e e	P	C) (?	ABC	
Angina pectoris	►O	0	0	2		4	TH	S IS YO		· •
Confirmed by angiogram? ONO OYes								515 11		_
Stroke (CVA) or TIA	PO	0	0	3	15. Is this your correct date of birt	h? 📰	>	- 16 E		-
Deep vein thrombosis/Pul. embolism	0	0	0	٢			-	/	/	
Elevated cholesterol	0	0	0	5	Yes ONo If no, pleas		M	onth Day	Year	
Melanoma	0	0	0	6	Write com	BCLUALE	141		i i car	
Basal cell skin cancer	0	0	0	0	16. Have you EVER had any of			YEAR O		16
Squamous cell skin cancer	►O	0	0	8	these physician-diagnosed			DIAGNOS		
Fibrocystic/other benign breast disease 🕥	0	0	0	0	ILEAVE BLANK FOR "NO", MARK		Before Sept	Sept 89 June to to	91 After June 1	
Confirmed by breast biopsy? ONO OYes				٢	HERE FOR "YES"	+		May 91 May		
Confirmed by aspiration? ONO O Yes		7-6-A-1	1. A	6	Interstitial cystitis (not UTI)	\odot	-0	OC	0	0
Breast cancer	PO	0	0	10	Coronary bypass/angioplasty	\odot	0	OC	0	0
Other cancer:	+O	0	0	1	Polycystic ovarian syndrome	\odot	0	OC	0	0
Specify site of					17. On average, how many	_	_			1
other cancer:					days each month do you	D	AYS	PER MON	ТН	
Colon or rectal polyp (benign)	PO	0	0	12	take any of the following		1-4	5-14 15-2	1 22+	
Ulcerative colitis/Crohn's disease	0	0	0	13	medications?	None	days	days day	1.00	
Gastric or duodenal ulcer	PO	0	0	14	Acetaminophen (e.g., Tylenol)	0	0	OC	0	0
Gallstones	0	0	0	15	Aspirin or aspirin-containing	~	-			
Did you have symptoms? ONO OYes	1.11			0	products (e.g., Alka-Seltzer with aspirin)	0	0	OC		
How diagnosed?				-	Non-steroidal anti-inflammatory					0
OX-ray or ultrasound O Other				Ð	(e.g., Ibuprofen, Naprosyn,	~	~			
Cholecystectomy	10	Q	Q	(18)	Advil, Midol, Aleve)	0	0	010		
High blood pressure	PO	0	0	U	18. Regular Medication (mark if us	sed reg	gularly	y in past 2	years)	
(not pregnancy related)		0		0	No regular medications		077			(18)
Pregnancy-related high blood pressure	IS	0	0	18	O Thiazide diuretic (e.g., Dyaz				nurii)	
Toxemia/Pre-eclampsia of pregnancy	TO	0	0		O Any other medication to tre				11	
Diabetes: Not pregnancy-related	TO	0		20	O Thyroid hormone replacem	ient (e.	g., sy	nthroid, Le	vothroid)	
Diabetes: Gestational	IO		0	3	O Cimetidine (Tagamet)	De De	watel /	(all)		
Hydatidiform mole of pregnancy	IO	R	N	30	O Other H2 blocker (e.g., Zant	tac, Pe	peia, A	AXIO)		
Ectopic pregnancy (Y) Endometriosis - 1st diagnosis (Y)	IN	0	2	00	O Tamoxifen O In Tamoxifen study (Rando	minod	trial			
	-		9	0	Other regular medications,			pacify		
Uterine fibroids - 1st diagnosis	10	0	0	6			ed to s	pecny	_	(1)
Confirmed by pelvic exam? ONO OYes	TU		\cup	6	19. Do you currently smoke cigaret ○ Yes ■> How many/ day?	11_A	0) 5-14	() 15-24	
Confirmed by ultrasound or ONO OYes			1.5	96) 25-3) 35-44	0 45+	
hysterectomy?		1.0		S	UNU	120-0	+ () 00 44	UHUT	
Premenstrual syndrome (PMS)	10	0	0	06)	20. Since June 1993, have		_	Martin	N. F.	20
Kidney stones	In	ŏ	õ	6	you had:		No	Yes, For Screening	Yes, For Symptoms	
Multiple sclerosis	10	10	ő	20	Colonoscopy/Sigmoidoscopy		0	0	0	0
Migraine headaches	LO	Ő	õ	29	Mammogram		0	0	0	ŏ
Asthma, physician diagnosed	10	Ő	õ	30	Breast exam by clinician		õ	ŏ	Ő	õ
Active TB (X-ray or culture confirmed)	10	Õ	õ	3	Bimanual pelvic exam		õ	õ	Ő	ŏ
Graves' Disease/Hyperthyroidism	10	Õ	õ	32	Ovarian ultrasound		õ	Õ	ŏ	ŏ
Hypothyroidism (V)	IO	Õ	õ	3	21. In how many months did you	oractio	e			M
Thyroid nodule (benign)	+O	Õ	Õ	34)	breast self-examination in the					
Other major illness or surgery	-O	Õ	Õ	(35)	O None O 1 month		C) 2-3 mon	ths	2.4



	PLEASE	USE PENCIL		F	PAGE 3	-		1			N295	D			
Please co	opy your l	D from page 21	to here.	00300	00000		23	16	600		00	000)(6)	000)@
D:				00000	6000		2)	10	60	00		OFFICE			A
				1239	00000		23	100	000	00	00	030	00	070)@
4. Do you	currently	/ take a multi-	-vitamin? (Pleas	the second s		and the second se						000	and the second second	000	00
O No	-	es -> If Yes,	a) How many do							and the second se	00	230		000	00
			O 2 or less		0 6-9	() 10 0	or more	e D	0	00	000	00	600	DO
			1.					1.11							0
*			b) What specific	brand do you	i usually use?						SI	pecify exam	t brand	and type	6
5. Do you	take the	following sep	parate preparati	ons? DO N	OT COUNT	CONTE	NTS C	F MU	LTI-VI	TAMI	NS R	EPORT	ED A	BOVE.	M
Vitamin A	O No	O Yes, seaso		the second second second second second	O Less tha		3,000 t) 13,0			23,000) Don'	
		O Yes, most	months Yes	s, ∫ day:	8,000 IU		12,000	10	22,0	00 IU	1 - al	or more	,	knov	N (SS
Beta-	O No	O Yes	If Ye			A STATE OF A	8,000 t		and the second se	00 to		23,000		Don	1.000
Carotene				} day:	8,000 IU		12,000	10	22,0	00 IU		or more		knov	V (BC
Vitamin C	O No	O Yes, seaso) Dose per			400 to		750			1300 m) Don'	
		O Yes, most	months Yes	s, } day:	400 mg.		700 mg	1.	125	0 mg.		or more		knov	Y L
Vitamin B ₆	O No	O Yes	If Ye				10 to	() 40 t			80 mg.) Don'	1.1
				} day:	10 mg.		39 mg.	1	79 n	ng.		or more		knov	v
Vitamin E	ONO	O Yes	If Ye				100 to		300			600 IU	. () Don'	1.0
	-			f day:	100 10		250 IU		500	HU.		or more	1.000	knov	
Calcium	O No	O Yes		ose per day:	O Less tha	and the second se	400 to) 901	to 0 mg.		1301 m) Don'	No. 11 Contraction
mg. of element	ntal Ca. (Inc	lude Tums etc 50	00 mg. Ca. Carbonate	= 200 mg. elem	ental) 400 mg.		900 mg		130	u mg.	~	or more		knov	-
Iron	() No	O Yes	\rightarrow If Yes, } D	lose per day:	O Less tha		41 to 80 mg.) 81 t	a mg.		151 mg) Don'	A Long Street of Long Street of Long Street
	ntal iron (3	25 mg. Ferrous St	ulfate = 65 mg. eleme	antal iron)	41 mg.		21	_	_		-	or more		knov	-
Zinc	() No	O Yes	→ If Yes, } D	lose per day:	O Less that 25 mg.	and the second se	25 to 74 mg.) 75 t	o mg.	and a second sec	101 mg or more) Don' knov	
Do vou tako	any other	supplomente re	gularly? O Seleni	Um ORC			Cod IIv		-	ish oil	~	Other	-		
) Garlic pills			Vitamin D	and the second se	and the second se	-	Potassi			olic a	-	(please -			
/ caunto pino	0.0	CONDI O YOUDE	S vitainities O	magnostant	Unident	0	01000	um	0.			2 3 C	000	DAG	00
		A DECK AND A DECK	breakfast cereal	do	-					A COLORED TO A		030			ia
you usu	ually eat?	(Don't eat cold b	reakfast cerea	I. Specify br	and & type	(e.g., "B	alston Ri	ce Chex*			200	1		Da
27. What ki	ind of fat	is usually us	ed for frying and												T
O Real		O Margarine				egetable	shorte	ning	OL	ard	0	"Pam"-	type s	pray	07
8. What ki	ind of fat	is usually use	ed for baking at			1									
O Real		O Margarine			ble oil O V	egetable	shorte	ning	01	ard	0	"Pam"-	type s	pray	28
9. What ty	pe of oil	is usually use	ed for cooking a	t home?						0	00	000)()())0
			n Corn Oil) Specify							0	000	230) ()	000)@
30. For eac	h food li	sted, fill in the	e circle indicating	g	1000		A	VERA	GE U	SE L	AST	YEAR			
		verage you ha				Never,									6
amount	t specifie	d during the p	past year.			or less than once	1-3 per	1 per	2-4 per	5-6 per	1 per	2-3 per	4-5 per	6+ per	C
			DAIRY	FOODS	the second s	per month						day	day	day	12
00		Skim	milk (8 oz. glass)			0	0	W	0	0	0	0	0	0	C
00		1% or	2% milk (8 oz. gla	iss)		0	0	1	0	0	0	0	0	0	C
00		Whole	e milk (8 oz. glass)			0	0	W	0	0	0	0	0	0	C
33		Crean	n, e.g., coffee, whi	pped or sour o	cream (1 Tbs)	0	0	W	0	0	0	0	0	0	C
		Non-c	dairy coffee whiter	ner (tsp)		0	0	()	0	0	0	0	0	0	C
36		Froze	n yogurt, sherbet o	or non-fat ice	cream (1/2 cu	0 (c	0	W	0	0	0	0	0	0	C
66		Ice cre	eam (1/2 cup)			0	0	W	0	0	0	0	0	0	C
00		Flavo	red yogurt, withou	ut Nutrasweet	(1 cup)	0	0	W	0	0	0	0	0	0	C
		Yogur	t, plain or with Nu	itrasweet (1 cu	(qu	0	0	W	0	0	D	0	0	0	C
000		Cotta	de or ricotta chees	a (1/2 cup)		0	0	(W)	0	0	0	0	0	0	0

		Cottage or ricotta cheese (1/2 cup)	V	10	0			U				
		Cream cheese (1 oz.)	0	0	W	0	0		0	0	0	
		Other cheese, e.g., American, cheddar, etc., plain or as part of a dish (1 slice or 1 oz. serving)	0	0	1	0	0	0	0	0	0	
		Margarine (pat), added to food or bread; exclude use in cooking	0	0	1	0	0	0	0	0	0	
		Butter (pat), added to food or bread; exclude use in cooking	0	0	W	0	0	0	0	0	0	
DIEACE	a) What typ	be of cheese do you usually eat? O Regular	OL	ow fat	t () Non	ie					
PLEASE TURN TO PAGE 4	b) What for O None		liquid)	10.0	at specific, Land						nt)?	
		Type? O Regular O Light spread O Extra Light	t sprea	d	-		1			-		

30	(Continued) Places fill in	PAGE 4	Never,									T
30.	(Continued) Please fill in during the past year, of	each specified food.		1-3	1	2-4	5-6	1	2-3	4-5	6+	
		FRUITS	than once per mont		week	per week	per week	per day	day	per day	per day	
		Raisins (1 oz. or small pack) or grapes	0	0	(W)	0	0	0	0	0	0	t
		Prunes (7 prunes or 1/2 cup)	ŏ	Õ	(W)	õ	Õ		ŏ	Ŏ	ŏ	t
	Please try to	Bananas (1)	Ő	Ŏ	W	ŏ	Õ	0	Õ	Ŏ	Õ	t
	average your	Cantaloupe (1/4 melon)	ĬŎ	ŏ	W	ŏ	õ	0	ŏ	ŏ	ŏ	Ť
	seasonal use	Avocado (1/2 fruit or 1/2 cup)		10	(W)	õ	õ	0	ŏ	õ	õ	
	of foods over			0		0	0	0	10	10	10	ł
	the entire year.	Fresh apples or pears (1)		10	(W)	0	õ	0	K	10	10	+
	For example, if	Apple juice or cider (small glass)	10	10		0	0	0		R	10	+
	a food such as	Oranges (1)	10	18	W	10	No.	0	10	10	N	ł
	cantaloupe is	Orange juice (small glass)	0	10	W	Q	0	0	0	0	0	+
	eaten 4 times a	Grapefruit (1/2)	0	0	W	Q	0	0	Q	Q	No.	
	week during the	Grapefruit juice (small glass)	0	O	W	0	0	0	0	0	Q	4
	approximate 3	Other fruit juices (small glass)	0	0	W	0	0	0	0	0	0	1
	months that it is	Strawberries, fresh, frozen or canned (1/2 cup)	0	0	W	0	0	D	0	0	0	
	in season, then	Blueberries, fresh, frozen or canned (1/2 cup)	0	0	W	0	0		0	0	0	
	the <u>average</u> use would be once	Peaches, apricots or plums (1 fresh, or 1/2 cup canned)	0	0	W	0	0	0	0	0	0	
	per week.		Never, or less than once		1 per	2–4 per	5–6 per	1 per	2–3 per	4–5 per	6+ per]
		VEGETABLES	per monti	month	week	week	week	day	day	day	day	4
		Tomatoes (1)	0	0	(W)	0	0	D	0	0	0	
		Tomato juice (small glass)	0	0	(\mathbb{W})	0	0		0	0	0	
		Tomato sauce (1/2 cup) e.g., spaghetti sauce	0	0	W	0	0	D	0	0	0	
		Salsa, picante or taco sauce (1/4 cup)	0	0	W	0	0	D	0	0	0	
		Tofu or soybeans (3-4 oz.)	0	0	0	0	0	D	0	0	0	
		String beans (1/2 cup)	0	0	W	0	0	0	0	0	0	
		Broccoli (1/2 cup)	0	0	W	0	0	0	0	0	0	
		Cabbage or cole slaw (1/2 cup)	Ő	0	W	O	0	(D)	0	0	0	T
		Cauliflower (1/2 cup)	Ŏ	Õ	W	Õ	Õ	(D)	Õ	Õ	Õ	t
		Brussels sprouts (1/2 cup)	ŏ	ŏ	W	ŏ	ŏ	(D)	Ŏ	Õ	Õ	Ť
		Carrots, raw (1/2 carrot or 2-4 sticks)	- O	Õ	W	õ	ŏ	0	ŏ	ŏ	õ	t
			ŏ	Ĭŏ	(W)	õ	ŏ	D	ŏ	Õ	õ	-
		Carrots, cooked (1/2 cup) or carrot juice (2-3 oz.)	1×	IX	(W)	õ	õ	×	10	0	õ	+
		Corn (1 ear or 1/2 cup frozen or canned)		18	(W)	0	0	0			0	+
		Peas or lima beans (1/2 cup fresh, frozen, canned)	0	10	0	2	0	0	N	N	No.	-
		Mixed vegetables (1/2 cup)	0	0	W	Q	0	0	Q	0	Q	4
		Beans or lentils, baked or dried (1/2 cup)	0	Q	W	0	0	0	Q	0	0	1
		Dark orange (winter) squash (1/2 cup)	0	0	W	0	0	0	0	0	0	1
		Eggplant, zucchini or other summer	0	0	W	0	0	D	0	0	0	1
		squash (1/2 cup)	-	0	0	~	0		0	0	0	+
		Yams or sweet potatoes (1/2 cup)	0	0	W	Q	0	0	0	Q	0	1
		Spinach, cooked (1/2 cup)	0	0	W	0	0	0	0	0	0	
		Spinach, raw as in salad	0	0	W	0	0	0	0	0	0	1
		Kale, mustard or chard greens (1/2 cup)	0	0	W	0	0	D	0	0	0	
		Iceberg or head lettuce (serving)	0	0	W	0	0	0	0	0	0	
		Romaine or leaf lettuce (serving)	0	0	W	0	0	0	0	0	0	T
		Celery (4" stick)	Õ	O	W	0	0	0	0	0	0	T
		Green peppers (3 slices or 1/4 pepper)	ŏ	Õ	Ŵ	Õ	õ	0	Õ	Õ	Õ	f
		Onions as a garnish or in salad (1 slice)	0	Õ	W	õ	õ	0	0	Õ	Õ	t
			0	10	00	0	õ	0	õ	õ	õ	t
		Onions as a vegetable, rings or soup (1 onion)	Maure					0				1
			Never, or less	1-3	1	2-4	5-6	1	2-3	4-5	6+	
		FOOD MEAT FTO	than once	per	per	per	per	per day	per	per day	per	
		EGGS, MEAT, ETC.	per mont	month	0	week	week		day	day	day	+
		Eggs, including yolk (1)	0	0	W	0	0	0	0	0	0	1
		Chicken or turkey, with skin (4-6 oz.)	0	Q	W	0	0	D	Q	0	0	1
11	EASE	Chicken or turkey, without skin (4-6 oz.)	0	0	(W)	0	0	0	0	0	0	1
	D TO	Bacon (2 slices)	0	0	(\mathbb{W})	0	0	D	0	0	0	1
	GE 5	Hot dogs (1)	0	0	W	0	0	D	0	0	0	
			and the second se	and the second second			1000	-	1 -		-	

30. (Continued) Please fill in	n your <u>average</u> use, each specified food.	Never, or less than once	1–3 ner	1	24 ner	5-6 ner	1	2-3	4-5 per	6+	(m) (B)
			per month		per week	per week	per week	per day	day	day	per day	e
		Processed meats, e.g., sausage, salami, bologna, etc. (piece or slice)	0	0	()	0	0	0	0	0	0	C
		Hamburger, regular (1 patty)	0	0	(1)	0	0	D	0	0	0	C
		Hamburger, lean or extra lean (1 patty)	0	0	W	0	0	0	0	0	0	C
		Beef, pork, or lamb as a sandwich or mixed dish, e.g., stew, casserole, lasagna, etc.	0	0	(\mathbb{W})	0	0	0	0.	0	0	C
		Pork as a main dish, e.g., ham or chops (4-6 oz.)	0	0	(W)	0	0	0	0	0	0	C
		Beef or lamb as a main dish, e.g., steak, roast (4-60	z.) O	Õ	W	Õ	Õ	0	O	Ō	0	C
		Canned tuna fish (3-4 oz.)	0	0	W	0	0	D	0	0	0	C
		Dark meat fish, e.g., mackerel, salmon, sardines, bluefish, swordfish (3–5 oz.)	0	0	W	0	0	0	0	0	0	C
		Breaded fish cakes, pieces, or fish sticks (store bought	t) ()	0		0	0	D	0	0	0	C
		Other fish (3-5 oz.)	0	0	(0	0	0	0	0	0	C
		Shrimp, lobster, scallops as a main dish	0	0	W	0	0	D	0	0	0	0
			Never,									
			or less	1-3	1	2-4	5-6	1	2-3	4-5	6+	
			than once per month		per week	per week	per week	day	per day	per day	per day	P
		Cold breakfast cereal (1 cup)	0	Q	W	0	0	D	0	0	0	C
		Cooked oatmeal/cooked oat bran (1 cup)	Q	Ő	(W)	0	0	0	Q	0	Ő	C
		Other cooked breakfast cereal (1 cup)		0	W	0	0	0	0	Q	0	- 2
		White bread (slice), including pita bread	10	0	W	0	0	0	2	10	0	2
		Dark bread (slice), including wheat pita bread	10	8	(W)	0	0	0	10	18	0	-2
		Bagels, English muffins, soft pretzels or rolls (1)	0	0	(W)	0	0	0	N	10	0	-2
		Muffins or biscuits (1) Brown rice (1 cup)	10	õ	())	0	0		ŏ	10	ŏ	Te
		White rice (1 cup)	Ŏ	ŏ	W	ŏ	ŏ		ŏ	ŏ	Õ	č
		Pasta, e.g., spaghetti, noodles, etc. (1 cup)	Ō	Õ	W	Õ	Õ	D	0	Õ	Õ	Õ
		Tortillas (1)	0	0	W	0	0	0	0	0	0	C
		Other grains, e.g., bulgar, kasha, couscous, etc. (1 cu	(qu	0	W	0	0	0	0	0	0	C
		Pancakes or waffles (serving)	0	0	W	0	0	D	0	0	0	C
		French fried potatoes (4 oz.)	0	0	W	0	0	D	0	Q	0	C
		Potatoes, baked, boiled (1) or mashed (1 cup)	O O	0	\otimes	0	0	0	0	Q	0	0
		Potato chips or corn chips (small bag or 1 oz.)	10	0	(W)	0	0	0	Q	0	S	- 2
		Pretzels (small bag or 1 oz.)	0	0	(W)	0	0	0	0	0	0	2
		Crackers, Triscuits, Wheat Thins (5) Pizza (2 slices)	0	0	(W)	0	0	0	0	õ	8	K
		T122d (2 SIICES)						0				-
			Never, or less	1-3	-	2-4	5-6	1	2-3	4-5	6+	
			than once per month	per	per	per	per	per day	per day	per day	per day	P
CARBONATED		Low-calorie cola, e.g., Diet Coke with caffeine	0	0	W	0	0	D	0	0	0	Õ
BEVERAGES	Low-Calorie (sugar-free)		0	0	W	0	0	D	0	0	0	C
Consider the serving size as 1	(Sugar (100)	Other low-cal carbonated beverage, e.g., Diet 7-Up	0	0	W	0	0	0	0	0	0	0
glass, bottle or can for these	Regular	Coke, Pepsi, or other cola with sugar	Q	Ő	W	Ő	Õ	0	Ő	0	Q	0
carbonated	(not sugar- free)	Caffeine Free Coke, Pepsi, or other cola with sugar	0	0	(W)	0	0	0	0	0	0	0
beverages.		Other carbonated beverage with sugar, e.g., 7-Up	18	00	(W)	00	00	0	00	0	0	0
E	BEVERAGES	Hawaiian Punch, KoolAid, lemonade or other noncarbonated fruit drink (1 glass, bottle, can)		0	0	0	0	0	0	0	0	0
		Beer, regular (1 glass, bottle, can)	0	0	W	Ő	0	0	0	Ő	Ó	Q
		Light beer, e.g., Bud Light (1 glass, bottle, can)	0	0	W	0	0	0	0	0	0	00
		Red wine (4 oz. glass)	0	0	(W)	00	00	0	00	0	0	6
		White wine (4 oz. glass)	0	0	(W)	00	0	0	0	0	0	00
		Liquor, e.g., whiskey, gin, etc. (1 drink or shot) Plain water, bottled, sparkling, or tap (1 cup or glass		õ	W	õ	õ	0	0	õ	0	00
PLEASE		Tea with caffeine (1 cup or glass)	0	0		õ	õ	0	õ	0	0	0
PAGE 6		Tea without caffeine (1 cup or glass)	Ő	õ	W	õ	õ	0	Õ	õ	õ	0
				-		~	0	~				-
PAGE 6		Coffee with caffeine (1 cup)		0	W	0	0	(D)	0	\bigcirc	0	C

		F	AGE	6							
						M	ark Refle	x [®] by N	CS EM-1	59715:6543	21 Printed in U.S
80. (Continued) Please fill in your <u>average</u> use, <u>during the past year</u> : SWEETS, BAKED GOODS, MISCELLANEOUS	Never, or less than once per month		1 per week	2–4 per week	5–6 per week	1 per day	2–3 per day	4–5 per day	6+ per day	01	2335678
Chocolate (bar or packet) e.g., Hershey's, M & M's	0	0	W	0	0		Ó	Ó	Ó	OD	
Candy bars, e.g., Snickers, Milky Way, Reeses	0	0	W	0	0	D	0	0	0	0	
Candy without chocolate (1 oz.)	0	0	W	0	0	D	0	0	0	0	0000
Jams, jellies, preserves, syrup, or honey (1 Tbs)	0	0	W	0	0	D	0	0	0	O	
Peanut butter (1 Tbs)	0	0	W	0	0	0	0	0	0	0	000000
Popcorn (1 cup)	0	0	(\mathbb{W})	0	0	0	0	0	0	0	000000
Cookies, home baked (1)	0	0	W	0	0	D	0	0	0	0	000000
Cookies, ready made (1)	0	0	W	0	0	D	0	0	0	0	333633
Brownies (1)	0	0	W	0	0	D	0	0	0	0	000000
Doughnuts (1)	0	0	W	0	0	0	0	0	0	O	66666
Cake, home baked (slice)	0	0	1	0	0	D	0	0	0	0	00000
Cake, ready made (slice)	0	0	W	0	0	D	0	0	0	0	000000
Pie, with homemade crust (slice)	0	0	\odot	0	0	D	0	0	0	0	00000
Pie, ready made (slice)	0	0	(\mathbb{W})	0	0	D	0	0	0	0	000000
Sweet roll, coffee cake or other pastry, home baked (serving)	0	0	1	0	0	0	0	0	0	0	•
Sweet roll, coffee cake or other pastry, ready made	9 0	0	W	0	0	D	0	0	0	O	00000
Peanuts (small packet or 1 oz.)	0	0	W	0	0	D	0	0	0	0	000000
Other nuts (small packet or 1 oz.)	0	0	W	0	0	0	0	0	0	O	000000
Oat bran, added to food (1 Tbs)	0	0	W	0	0		0	0	0	O	000000
Other bran, added to food (1 Tbs)	0	0	W	0	0	0	0	0	0	0	

outor brain, dadod to tood (1 1 bor	\sim					~	~	\sim		La Carton Carton		
Metamucil (1 Tbs powder or equivalent)	0	0	W	0	0	D	0	0	0	O	6600	DOC
Other fiber supplement (1 Tbs powder or equivalent)	0	0	W	0	0	0	0	0	0	0	6600	
Wheat germ (1 Tbs)	0	0	(W)	0	0	D	0	0	0	0	00000	000
Chowder or cream soup (1 cup)	0	0	W	0	0	D	0	0	0	0	3330	3 3 0
Ketchup or red chili sauce (1 Tbs)	0	0	W	0	0	0	0	0	0	O	0000	900
Salt added at table (1 shake)	0	0	W	0	0	0	0	0	0	0	O	
Nutrasweet or Equal (1 packet) NOT Sweet 'N Low	0	0	\odot	0	0	0	0	0	0	0	0000	000
Garlic (1 clove or 4 shakes)	0	0	W	0	0	D	0	0	0	0	0000	DOC
Low-fat mayonnaise (1 Tbs)	0	0	W	0	0	D	0	0	0	0	00000	333
Mayonnaise (1 Tbs)	0	0	W	0	0	0	0	0	0	0	3330	330
Olive oil added to food or bread (1 Tbs)	0	0	W	0	0	D	0	0	0	0		
Salad dressing (1 Tbs)	0	0	W	0	0	D	0	0	0	O	6660	560
Type of salad dressing: O Non-fat O L	ow fat	() Oliv	e oil d	ressing) Othe	er		0	3666	000
											00000	000
. Liver: beef, calf or pork (4 oz.) O Never 01	-5/yr	00	3-10/yr	01	l/mo	02	-3/mo	01	l/wk or	more	8882	300
Liver: chicken or turkey (1 oz.) O Never 01	-5/yr	00	-10/yr	01	l/mo	02	-3/mo	01	/wk or	more	0003	990
. How much of the visible fat on your beef, pork	or la	mb do	o you	remo	ve bef	ore ea	ating?	6				
O Remove all visible fat O Remove most O F	lemov	e smal	part o	of fat	OF	lemov	e none	0	Don't e	at mea	it	0
. How often do you eat food fried, stir-fried, or s	sautée	d at l	nome	2								
O Never O Less than once a week O C	Once p	er wee	k (2-4	times	per we	ek (5-6	times (per we	ek O Daily	0
. How often do you eat deep fried food away fro	om ho	me (e	.g., fr	ench	fries, f	ried c	hicke	n, fish	, clam	ns, shr	rimp, etc.)?	
O Never O Less than once a week O C)nce p	er wee	k (2-4	times	per we	ek () 5-6	times	per we	ek O Daily	6
. Hann many too one of an one do you add to y					J. c.o.c.h	dava						
5. How many teaspoons of sugar do you add to y	your b	bevera	iges o	r 1000	a each	dayr			tsp. (000	00000	
5. In a typical week during the past year, on how	man	y days	s did y	ou co	nsum	e an a	alcoho	lic be	verag	e of a	ny type?	
O No days O 1 day O 2 days O 3 days							-					0
How likely are you to calent low caleria foods	for up	Innorth	57			-			100			

